

# Gradient Projection for Sparse Reconstruction: Application to Compressed Sensing and Other Inverse Problems

Mário A. T. Figueiredo, Robert D. Nowak, Stephen J. Wright

**Abstract**—Many problems in signal processing and statistical inference involve finding sparse solutions to under-determined, or ill-conditioned, linear systems of equations. A standard approach consists in minimizing an objective function which includes a quadratic ( $\ell_2$ ) error term combined with a sparseness-inducing ( $\ell_1$ ) regularization term. Basis Pursuit, the Least Absolute Shrinkage and Selection Operator (LASSO), wavelet-based deconvolution, and Compressed Sensing are a few well-known examples of this approach. This paper proposes gradient projection (GP) algorithms for the bound-constrained quadratic programming (BCQP) formulation of these problems. We test variants of this approach that select the line search parameters in different ways, including techniques based on the Barzilai-Borwein method. Computational experiments show that these GP approaches perform very well in a wide range of applications, being significantly faster (in terms of computation time) than competing methods.

## I. INTRODUCTION

### A. Background

There has been considerable interest in solving the convex unconstrained optimization problem

$$\min_{\mathbf{x}} \frac{1}{2} \|\mathbf{y} - \mathbf{Ax}\|_2^2 + \tau \|\mathbf{x}\|_1, \quad (1)$$

where  $\mathbf{x} \in \mathbb{R}^n$ ,  $\mathbf{y} \in \mathbb{R}^k$ ,  $\mathbf{A}$  is an  $k \times n$  matrix,  $\tau$  is a nonnegative parameter,  $\|\mathbf{v}\|_2$  denotes the Euclidean norm of  $\mathbf{v}$ , and  $\|\mathbf{v}\|_1 = \sum_i |v_i|$  is the  $\ell_1$  norm of  $\mathbf{v}$ . Problems of the form (1) have become familiar over the past three decades, particularly in statistical and signal processing contexts. From a Bayesian perspective, (1) can be seen as a maximum *a posteriori* criterion for estimating  $\mathbf{x}$  from observations

$$\mathbf{y} = \mathbf{Ax} + \mathbf{n}, \quad (2)$$

where  $\mathbf{n}$  is white Gaussian noise of variance  $\sigma^2$ , and the prior on  $\mathbf{x}$  is Laplacian (that is,  $\log p(\mathbf{x}) = -\lambda \|\mathbf{x}\|_1 + \mathbf{K}$ ) [1], [25], [53]. Problem (1) can also be viewed as a regularization technique to overcome the ill-conditioned, or even singular, nature of matrix

M. Figueiredo is with the *Instituto de Telecomunicações* and Department of Electrical and Computer Engineering, *Instituto Superior Técnico*, 1049-001 Lisboa, Portugal. R. Nowak is with the Department of Electrical and Computer Engineering, University of Wisconsin, Madison, WI 53706, USA. S. J. Wright is with Department of Computer Sciences, University of Wisconsin, Madison, WI 53706, USA.

$\mathbf{A}$ , when trying to infer  $\mathbf{x}$  from noiseless observations  $\mathbf{y} = \mathbf{Ax}$  or from noisy observations as in (2).

The presence of the  $\ell_1$  term encourages small components of  $\mathbf{x}$  to become exactly zero, thus promoting sparse solutions [11], [53]. Because of this feature, (1) has been used for more than three decades in several signal processing problems where sparseness is sought; some early references are [12], [36], [49], [52]. In the 1990's, seminal work on the use of  $\ell_1$  sparseness-inducing penalties/log-priors appeared in the statistics literature: the now famous *basis pursuit denoising* (BPDN, [11, Section 5]) criterion and the *least absolute shrinkage and selection operator* (LASSO, [53]). For brief historical accounts on the use of the  $\ell_1$  penalty in statistics and signal processing, see [40], [54].

Problem (1) is closely related to the following convex constrained optimization problems:

$$\min_{\mathbf{x}} \|\mathbf{x}\|_1 \quad \text{subject to} \quad \|\mathbf{y} - \mathbf{Ax}\|_2^2 \leq \varepsilon \quad (3)$$

and

$$\min_{\mathbf{x}} \|\mathbf{y} - \mathbf{Ax}\|_2^2 \quad \text{subject to} \quad \|\mathbf{x}\|_1 \leq t, \quad (4)$$

where  $\varepsilon$  and  $t$  are nonnegative real parameters. Problem (3) is a *quadratically constrained linear program* (QCLP) whereas (4) is a *quadratic program* (QP). Convex analysis can be used to show that a solution of (3) (for any  $\varepsilon$  such that this problem is feasible) is either  $\mathbf{x} = 0$ , or else is a minimizer of (1), for some  $\tau > 0$ . Similarly, a solution of (4) for any  $t \geq 0$  is also a minimizer of (1) for some  $\tau \geq 0$ . These claims can be proved using [48, Theorem 27.4].

The LASSO approach to regression has the form (4), while the basis pursuit criterion [11, (3.1)] has the form (3) with  $\varepsilon = 0$ , i.e., a linear program (LP)

$$\min_{\mathbf{x}} \|\mathbf{x}\|_1 \quad \text{subject to} \quad \mathbf{y} = \mathbf{Ax}. \quad (5)$$

Problem (1) also arises in wavelet-based image/signal reconstruction and restoration (namely deconvolution); in those problems, matrix  $\mathbf{A}$  has the form  $\mathbf{A} = \mathbf{RW}$ , where  $\mathbf{R}$  is (a matrix representation of) the observation operator (for example, convolution with a blur kernel or a tomographic projection),  $\mathbf{W}$  contains a wavelet basis or a redundant

dictionary (that is, multiplying by  $\mathbf{W}$  corresponds to performing an inverse wavelet transform), and  $\mathbf{x}$  is the vector of representation coefficients of the unknown image/signal [24], [25], [26].

We mention also image restoration problems under total variation (TV) regularization [10], [46]. In the one-dimensional (1D) case, a change of variables leads to the formulation (1). In 2D, however, the techniques of this paper cannot be applied directly.

Another intriguing new application for the optimization problem (1) is *compressed sensing* (CS<sup>1</sup>) [7], [9], [18]. Recent results show that a relatively small number of random projections of a sparse signal can contain most of its salient information. It follows that if a signal is sparse or approximately sparse in some orthonormal basis, then an accurate reconstruction can be obtained from random projections, which suggests a potentially powerful alternative to conventional Shannon-Nyquist sampling. In the noiseless setting, accurate approximations can be obtained by finding a sparse signal that matches the random projections of the original signal. This problem can be cast as (5), where again matrix  $\mathbf{A}$  has the form  $\mathbf{A} = \mathbf{R}\mathbf{W}$ , but in this case  $\mathbf{R}$  represents a low-rank randomized sensing matrix (*e.g.*, a  $k \times d$  matrix of independent realizations of a random variable), while the columns of  $\mathbf{W}$  contain the basis over which the signal has a sparse representation (*e.g.*, a wavelet basis). Problem (1) is a robust version of this reconstruction process, which is resilient to errors and noisy data, and similar criteria have been proposed and analyzed in [8], [31]. Although some CS theory and algorithms apply to complex vectors,  $\mathbf{x} \in \mathbb{C}^n$ ,  $\mathbf{y} \in \mathbb{C}^k$ , we will not consider that case here, since the proposed approach does not apply to it.

### B. Previous Algorithms

Several optimization algorithms and codes have recently been proposed to solve the QCLP (3), the QP (4), the LP (5), and the unconstrained (but nonsmooth) formulation (1). We review this work briefly here and identify those contributions that are most suitable for signal processing applications, which are the target of this paper.

In the class of applications that motivates this paper, the matrix  $\mathbf{A}$  cannot be stored explicitly, and it is costly and impractical to access significant portions of  $\mathbf{A}$  and  $\mathbf{A}^T\mathbf{A}$ . In wavelet-based image reconstruction and some CS problems, for which  $\mathbf{A} = \mathbf{R}\mathbf{W}$ , explicit storage of  $\mathbf{A}$ ,  $\mathbf{R}$ , or  $\mathbf{W}$  is not practical for problems of interesting scale. However, matrix-vector products involving  $\mathbf{R}$  and  $\mathbf{W}$  can be done quite efficiently. For example, if the columns of  $\mathbf{W}$  contain a wavelet basis, then any multiplication

of the form  $\mathbf{Wv}$  or  $\mathbf{W}^T\mathbf{v}$  can be performed by a fast wavelet transform (see Section III-G, for details). Similarly, if  $\mathbf{R}$  represents a convolution, then multiplications of the form  $\mathbf{Rv}$  or  $\mathbf{R}^T\mathbf{v}$  can be performed with the help of the fast Fourier transform (FFT) algorithm. In some CS applications, if the dimension of  $\mathbf{y}$  is not too large,  $\mathbf{R}$  can be explicitly stored; however,  $\mathbf{A}$  is still not available explicitly, because the large and dense nature of  $\mathbf{W}$  makes it highly impractical to compute and store  $\mathbf{RW}$ .

Homotopy algorithms that find the full path of solutions, for all nonnegative values of the scalar parameters in the various formulations ( $\tau$  in (1),  $\varepsilon$  in (3), and  $t$  in (4)), have been proposed in [22], [38], [45], and [56]. The formulation (4) is addressed in [45], while [56] addresses (1) and (4). The method in [38] provides the solution path for (1), for a range of values of  $\tau$ . The *least angle regression* (LARS) procedure described in [22] can be adapted to solve the LASSO formulation (4). These are all essentially homotopy methods that perform pivoting operations involving submatrices of  $\mathbf{A}$  or  $\mathbf{A}^T\mathbf{A}$  at certain critical values of the corresponding parameter ( $\tau$ ,  $t$ , or  $\varepsilon$ ). These methods can be implemented so that only the submatrix of  $\mathbf{A}$  corresponding to nonzero components of the current vector  $\mathbf{x}$  need be known explicitly, so that if  $\mathbf{x}$  has few nonzeros, these methods may be competitive even for problems of very large scale. (See for example the *SolveLasso* function in the *SparseLab* toolbox, available from [sparselab.stanford.edu](http://sparselab.stanford.edu).) In some signal processing applications, however, the number of nonzero  $\mathbf{x}$  components may be significant, and since these methods require at least as many pivot operations as there are nonzeros in the solution, they may be less competitive on such problems. The interior-point approach in [57], which solves a generalization of (4), also requires explicit construction of  $\mathbf{A}^T\mathbf{A}$ , though the approach could in principle modified to allow iterative solution of the linear system at each primal-dual iteration.

Algorithms that require only matrix-vector products involving  $\mathbf{A}$  and  $\mathbf{A}^T$  have been proposed in a number of recent works. In [11], the problems (5) and (1) are solved by first reformulating them as “perturbed linear programs” (which are linear programs with additional terms in the objective which are squared norms of the unknowns), then applying a standard primal-dual interior-point approach [59]. The linear equations or least-squares problems that arise at each interior-point iteration are then solved with iterative methods such as LSQR [47] or conjugate gradients (CG). Each iteration of these methods requires one multiplication each by  $\mathbf{A}$  and  $\mathbf{A}^T$ . MATLAB implementations of related approaches are available in the *SparseLab* toolbox; see in particular the routines *SolveBP* and *pdco*. For additional details see [50].

<sup>1</sup>A comprehensive repository of CS literature and software can be found in [www.dsp.ece.rice.edu/cs/](http://www.dsp.ece.rice.edu/cs/).

Another interior-point method was proposed recently (after submission of the first version of this paper) to solve a quadratic programming reformulation of (1), different from the one adopted here. Each search step is computed using preconditioned conjugate gradients (PCG) and requires only products involving  $\mathbf{A}$  and  $\mathbf{A}^T$  [35]. The code, which is available from [www.stanford.edu/~boyd/l1\\_ls/](http://www.stanford.edu/~boyd/l1_ls/), is reported to perform faster than competing codes on the problems tested in [35].

The  $\ell_1$ -magic suite of codes (which is available at [www.l1-magic.org](http://www.l1-magic.org)) implements algorithms for several of the formulations described in Section I-A. In particular, the formulation (3) is solved by recasting it as a *second-order cone program* (SOCP), then applying a primal log-barrier approach. For each value of the log-barrier parameter, the smooth unconstrained subproblem is solved using Newton's method with line search, where the Newton equations may be solved using CG. (Background on this approach can be found in [6], [9], while details of the algorithm are given in the User's Guide for  $\ell_1$ -magic.) As in [11] and [35], each CG iteration requires only multiplications by  $\mathbf{A}$  and  $\mathbf{A}^T$ ; these matrices need not be known or stored explicitly.

*Iterative shrinkage/thresholding* (IST) algorithms can also be used to handle (1) and only require matrix-vector multiplications involving  $\mathbf{A}$  and  $\mathbf{A}^T$ . Initially, IST was presented as an EM algorithm, in the context of image deconvolution problems [44], [25]. IST can also be derived in a *majorization-minimization* (MM) framework<sup>2</sup> [16], [26] (see also [23], for a related algorithm derived from a different perspective). Convergence of IST algorithms was shown in [13], [16]. IST algorithms are based on bounding the matrix  $\mathbf{A}^T \mathbf{A}$  (the Hessian of  $\|\mathbf{y} - \mathbf{Ax}\|_2^2$ ) by a diagonal  $\mathbf{D}$  (*i.e.*,  $\mathbf{D} - \mathbf{A}^T \mathbf{A}$  is positive semi-definite), thus attacking (1) by solving a sequence of simpler denoising problems. While this bound may be reasonably tight in the case of deconvolution (where  $\mathbf{R}$  is usually a square matrix), it may be loose in the CS case, where matrix  $\mathbf{R}$  usually has many fewer rows than columns. For this reason, IST may not be as effective for solving (1) in CS applications, as it is in deconvolution problems.

Finally, we mention matching pursuit (MP) and orthogonal MP (OMP) [17], [20], [55], which are greedy schemes to find a sparse representation of a signal on a dictionary of basis functions. (Matrix  $\mathbf{A}$  is seen as an  $n$ -element dictionary of  $k$ -dimensional signals). MP works by iteratively choosing the dictionary element that has the highest inner product with the current residual, thus most reduces the representation error. OMP includes an extra orthog-

onalization step, and is known to perform better than standard MP. Low computational complexity is one of the main arguments in favor of greedy schemes like OMP, but such methods are not designed to solve any of the optimization problems posed above. However, if  $\mathbf{y} = \mathbf{Ax}$ , with  $\mathbf{x}$  sparse and the columns of  $\mathbf{A}$  sufficiently incoherent, then OMP finds the sparsest representation [55]. It has also been shown that, under similar incoherence and sparsity conditions, OMP is robust to small levels of noise [20].

### C. Proposed Approach

The approach described in this paper also requires only matrix-vector products involving  $\mathbf{A}$  and  $\mathbf{A}^T$ , rather than explicit access to  $\mathbf{A}$ . It is essentially a gradient projection (GP) algorithm applied to a quadratic programming formulation of (1), in which the search path from each iterate is obtained by projecting the negative-gradient onto the feasible set. We refer to our approach as GPSR (*gradient projection for sparse reconstruction*). Various enhancements to this basic approach, together with careful choice of stopping criteria and a final debiasing phase (which finds the least squares fit over the support set of the solution to (1)), are also important in making the method practical and efficient.

Unlike the MM approach, GPSR does not involve bounds on the matrix  $\mathbf{A}^T \mathbf{A}$ . In contrast with the interior-point approaches discussed above, GPSR involves only one level of iteration. (The approaches in [11] and [35] have two iteration levels—an outer interior-point loop and an inner CG, PCG, or LSQR loop. The  $\ell_1$ -magic algorithm for (3) has three nested loops—an outer log-barrier loop, an intermediate Newton iteration, and an inner CG loop.)

GPSR is able to solve a sequence of problems (1) efficiently for a sequence of values of  $\tau$ . Once a solution has been obtained for a particular  $\tau$ , it can be used as a “warm-start” for a nearby value. Solutions can therefore be computed for a range of  $\tau$  values for a small multiple of the cost of solving for a single  $\tau$  value from a “cold start.” This feature of GPSR is somewhat related to that of LARS and other homotopy schemes, which compute solutions for a range of parameter values in succession. Interior-point methods such as those that underlie the approaches in [11], [35], and  $\ell_1$ -magic have been less successful in making effective use of warm-start information, though this issue has been investigated in various contexts (see for example [30], [34], [60]). To benefit from a warm start, interior-point methods require the initial point to be not only close to the solution but also sufficiently interior to the feasible set and close to a “central path,” which is difficult to satisfy in practice.

<sup>2</sup>Also known as bound optimization algorithms (BOA). For a general introduction to MM/BOA, see [32].

## II. PROPOSED FORMULATION

### A. Formulation as a Quadratic Program

The first key step of our GPSR approach is to express (1) as a quadratic program; as in [28], this is done by splitting the variable  $\mathbf{x}$  into its positive and negative parts. Formally, we introduce vectors  $\mathbf{u}$  and  $\mathbf{v}$  and make the substitution

$$\mathbf{x} = \mathbf{u} - \mathbf{v}, \quad \mathbf{u} \geq 0, \quad \mathbf{v} \geq 0. \quad (6)$$

These relationships are satisfied by  $u_i = (x_i)_+$  and  $v_i = (-x_i)_+$  for all  $i = 1, 2, \dots, n$ , where  $(\cdot)_+$  denotes the *positive-part operator* defined as  $(x)_+ = \max\{0, x\}$ . We thus have  $\|\mathbf{x}\|_1 = \mathbf{1}_n^T \mathbf{u} + \mathbf{1}_n^T \mathbf{v}$ , where  $\mathbf{1}_n = [1, 1, \dots, 1]^T$  is the vector consisting of  $n$  ones, so (1) can be rewritten as the following bound-constrained quadratic program (BCQP):

$$\begin{array}{ll} \min_{\mathbf{u}, \mathbf{v}} & \frac{1}{2} \|\mathbf{y} - \mathbf{A}(\mathbf{u} - \mathbf{v})\|_2^2 + \tau \mathbf{1}_n^T \mathbf{u} + \tau \mathbf{1}_n^T \mathbf{v}, \\ \text{s.t.} & \mathbf{u} \geq 0 \\ & \mathbf{v} \geq 0. \end{array} \quad (7)$$

Note that the  $\ell_2$ -norm term is unaffected if we set  $\mathbf{u} \leftarrow \mathbf{u} + \mathbf{s}$  and  $\mathbf{v} \leftarrow \mathbf{v} + \mathbf{s}$ , where  $\mathbf{s} \geq 0$  is a shift vector. However such a shift increases the other terms by  $2\tau \mathbf{1}_n^T \mathbf{s} \geq 0$ . It follows that, at the solution of the problem (7),  $u_i = 0$  or  $v_i = 0$ , for  $i = 1, 2, \dots, n$ , so that in fact  $u_i = (x_i)_+$  and  $v_i = (-x_i)_+$  for all  $i = 1, 2, \dots, n$ , as desired.

Problem (7) can be written in more standard BCQP form,

$$\begin{array}{ll} \min_{\mathbf{z}} & \mathbf{c}^T \mathbf{z} + \frac{1}{2} \mathbf{z}^T \mathbf{B} \mathbf{z} \equiv F(\mathbf{z}), \\ \text{s.t.} & \mathbf{z} \geq 0, \end{array} \quad (8)$$

where

$$\mathbf{z} = \begin{bmatrix} \mathbf{u} \\ \mathbf{v} \end{bmatrix}, \quad \mathbf{b} = \mathbf{A}^T \mathbf{y}, \quad \mathbf{c} = \tau \mathbf{1}_{2n} + \begin{bmatrix} -\mathbf{b} \\ \mathbf{b} \end{bmatrix}$$

and

$$\mathbf{B} = \begin{bmatrix} \mathbf{A}^T \mathbf{A} & -\mathbf{A}^T \mathbf{A} \\ -\mathbf{A}^T \mathbf{A} & \mathbf{A}^T \mathbf{A} \end{bmatrix}. \quad (9)$$

### B. Dimensions of the BCQP

It may be observed that the dimension of problem (8) is twice that of the original problem (1):  $\mathbf{x} \in \mathbb{R}^n$ , while  $\mathbf{z} \in \mathbb{R}^{2n}$ . However, this increase in dimension has only a minor impact. Matrix operations involving  $\mathbf{B}$  can be performed more economically than its size suggests, by exploiting its particular structure (9). For a given  $\mathbf{z} = [\mathbf{u}^T \ \mathbf{v}^T]^T$ , we have

$$\mathbf{B} \mathbf{z} = \mathbf{B} \begin{bmatrix} \mathbf{u} \\ \mathbf{v} \end{bmatrix} = \begin{bmatrix} \mathbf{A}^T \mathbf{A}(\mathbf{u} - \mathbf{v}) \\ -\mathbf{A}^T \mathbf{A}(\mathbf{u} - \mathbf{v}) \end{bmatrix},$$

indicating that  $\mathbf{B} \mathbf{z}$  can be found by computing the vector difference  $\mathbf{u} - \mathbf{v}$  and then multiplying once each by  $\mathbf{A}$  and  $\mathbf{A}^T$ . Since  $\nabla F(\mathbf{z}) = \mathbf{c} + \mathbf{B} \mathbf{z}$  (the gradient of the objective function in (8)), we conclude that computation of  $\nabla F(\mathbf{z})$  requires one

multiplication each by  $\mathbf{A}$  and  $\mathbf{A}^T$ , assuming that  $\mathbf{c}$ , which depends on  $\mathbf{b} = \mathbf{A}^T \mathbf{y}$ , is pre-computed at the start of the algorithm.

Another common operation in the GP algorithms described below is to find the scalar  $\mathbf{z}^T \mathbf{B} \mathbf{z}$  for a given  $\mathbf{z} = [\mathbf{u}^T, \mathbf{v}^T]^T$ . It is easy to see that

$$\mathbf{z}^T \mathbf{B} \mathbf{z} = (\mathbf{u} - \mathbf{v})^T \mathbf{A}^T \mathbf{A}(\mathbf{u} - \mathbf{v}) = \|\mathbf{A}(\mathbf{u} - \mathbf{v})\|_2^2,$$

indicating that this quantity can be calculated using only a single multiplication by  $\mathbf{A}$ . Since  $F(\mathbf{z}) = (1/2) \mathbf{z}^T \mathbf{B} \mathbf{z} + \mathbf{c}^T \mathbf{z}$ , it follows that evaluation of  $F(\mathbf{z})$  also requires only one multiplication by  $\mathbf{A}$ .

### C. A Note Concerning Non-negative Solutions

It is worth pointing out that when the solution of (1) is known in advance to be nonnegative, we can directly rewrite the problem as

$$\begin{array}{ll} \min_{\mathbf{x}} & (\tau \mathbf{1}_n - \mathbf{A}^T \mathbf{y})^T \mathbf{x} + \frac{1}{2} \mathbf{x}^T \mathbf{A}^T \mathbf{A} \mathbf{x}, \\ \text{s.t.} & \mathbf{x} \geq 0. \end{array} \quad (10)$$

This problem is, as (8), a BCQP, and it can be solved with the same algorithms. However the presence of the constraint  $\mathbf{x} \geq 0$  allows us to avoid splitting the variables into positive and negative parts.

## III. GRADIENT PROJECTION ALGORITHMS

In this section we discuss GP techniques for solving (8). In our approaches, we move from iterate  $\mathbf{z}^{(k)}$  to iterate  $\mathbf{z}^{(k+1)}$  as follows. First, we choose some scalar parameter  $\alpha^{(k)} > 0$  and set

$$\mathbf{w}^{(k)} = (\mathbf{z}^{(k)} - \alpha^{(k)} \nabla F(\mathbf{z}^{(k)}))_+. \quad (11)$$

We then choose a second scalar  $\lambda^{(k)} \in [0, 1]$  and set

$$\mathbf{z}^{(k+1)} = \mathbf{z}^{(k)} + \lambda^{(k)} (\mathbf{w}^{(k)} - \mathbf{z}^{(k)}). \quad (12)$$

Our approaches described next differ in their choices of  $\alpha^{(k)}$  and  $\lambda^{(k)}$ .

### A. Basic Gradient Projection: The GPSR-Basic Algorithm

In the basic approach, we search from each iterate  $\mathbf{z}^{(k)}$  along the negative gradient  $-\nabla F(\mathbf{z}^{(k)})$ , projecting onto the non-negative orthant, and performing a backtracking line search until a sufficient decrease is attained in  $F$ . (Bertsekas [3, p. 226] refers to this strategy as “Armijo rule along the projection arc.”) We use an initial guess for  $\alpha^{(k)}$  that would yield the exact minimizer of  $F$  along this direction if no new bounds were to be encountered. Specifically, we define the vector  $\mathbf{g}^{(k)}$  by

$$\mathbf{g}_i^{(k)} = \begin{cases} (\nabla F(\mathbf{z}^{(k)}))_i, & \text{if } \mathbf{z}_i^{(k)} > 0 \text{ or} \\ & (\nabla F(\mathbf{z}^{(k)}))_i < 0, \\ 0, & \text{otherwise.} \end{cases}$$

We then choose the initial guess to be

$$\alpha_0 = \arg \min_{\alpha} F(\mathbf{z}^{(k)} - \alpha \mathbf{g}^{(k)}),$$

which we can compute explicitly as

$$\alpha_0 = \frac{(\mathbf{g}^{(k)})^T \mathbf{g}^{(k)}}{(\mathbf{g}^{(k)})^T \mathbf{B} \mathbf{g}^{(k)}}. \quad (13)$$

To protect against values of  $\alpha_0$  that are too small or too large, we confine it to the interval  $[\alpha_{\min}, \alpha_{\max}]$ , where  $0 < \alpha_{\min} < \alpha_{\max}$ . (In this connection, we define the operator  $\text{mid}(a, b, c)$  to be the middle value of its three scalar arguments.) This technique for setting  $\alpha_0$  is apparently novel, and produces an acceptable step much more often than the earlier choice of  $\alpha_0$  as the minimizer of  $F$  along the direction  $-\nabla F(\mathbf{z}^{(k)})$ , ignoring the bounds.

The complete algorithm is defined as follows.

**Step 0 (initialization):** Given  $\mathbf{z}^{(0)}$ , choose parameters  $\beta \in (0, 1)$  and  $\mu \in (0, 1/2)$ ; set  $k = 0$ .

**Step 1:** Compute  $\alpha_0$  from (13), and replace  $\alpha_0$  by  $\text{mid}(\alpha_{\min}, \alpha_0, \alpha_{\max})$ .

**Step 2 (backtracking line search):** Choose  $\alpha^{(k)}$  to be the first number in the sequence  $\alpha_0, \beta\alpha_0, \beta^2\alpha_0, \dots$  such that

$$\begin{aligned} F((\mathbf{z}^{(k)} - \alpha^{(k)} \nabla F(\mathbf{z}^{(k)}))_+) &\leq F(\mathbf{z}^{(k)}) \\ -\mu \nabla F(\mathbf{z}^{(k)})^T (\mathbf{z}^{(k)} - (\mathbf{z}^{(k)} - \alpha^{(k)} \nabla F(\mathbf{z}^{(k)}))_+), \end{aligned}$$

and set  $\mathbf{z}^{(k+1)} = (\mathbf{z}^{(k)} - \alpha^{(k)} \nabla F(\mathbf{z}^{(k)}))_+$ .

**Step 3:** Perform convergence test and terminate with approximate solution  $\mathbf{z}^{(k+1)}$  if it is satisfied; otherwise set  $k \leftarrow k + 1$  and return to

**Step 1.**

Termination tests used in Step 3 are discussed below in Subsection III-D.

The computation at each iteration consists of matrix-vector multiplications involving  $\mathbf{A}$  and  $\mathbf{A}^T$ , together with a few (less significant) inner products involving vectors of length  $n$ . Step 2 requires evaluation of  $F$  for each value of  $\alpha^{(k)}$  tried, where each such evaluation requires a single multiplication by  $\mathbf{A}$ . Once the value of  $\alpha^{(k)}$  is determined, we can find  $\mathbf{z}^{(k+1)}$  and then  $\nabla F(\mathbf{z}^{(k+1)})$  with one more multiplication by  $\mathbf{A}^T$ . Another multiplication by  $\mathbf{A}$  suffices to calculate the denominator in (13) at the start of each iteration. In total, the number of multiplications by  $\mathbf{A}$  or  $\mathbf{A}^T$  per iteration is two plus the number of values of  $\alpha^{(k)}$  tried in Step 2.

### B. Barzilai-Borwein Gradient Projection: The GPSR-BB Algorithm

Algorithm GPSR-Basic ensures that the objective function  $F$  decreases at every iteration. Recently, considerable attention has been paid to an approach due to Barzilai and Borwein (BB) [2] that does not have this property. This approach was originally developed in the context of unconstrained minimization of a smooth nonlinear function  $F$ . It calculates

each step by the formula  $\delta^{(k)} = -H_k^{-1} \nabla F(\mathbf{z}^{(k)})$ , where  $H_k$  is an approximation to the Hessian of  $F$  at  $\mathbf{z}^{(k)}$ . Barzilai and Borwein propose a particularly simple choice for the approximation  $H_k$ : They set it to be a multiple of the identity  $H_k = \eta^{(k)} I$ , where  $\eta^{(k)}$  is chosen so that this approximation has similar behavior to the true Hessian over the most recent step, that is,

$$\nabla F(\mathbf{z}^{(k)}) - \nabla F(\mathbf{z}^{(k-1)}) \approx \eta^{(k)} [\mathbf{z}^{(k)} - \mathbf{z}^{(k-1)}],$$

with  $\eta^{(k)}$  chosen to satisfy this relationship in the least-squares sense. In the unconstrained setting, the update formula is

$$\mathbf{z}^{(k+1)} = \mathbf{z}^{(k)} - (\eta^{(k)})^{-1} \nabla F(\mathbf{z}^{(k)});$$

this step is taken even if it yields an increase in  $F$ . This strategy is proved analytically in [2] to be effective on simple problems. Numerous variants have been proposed recently, and subjected to a good deal of theoretical and computational evaluation.

The BB approach has been extended to BCQPs in [15], [51]. The approach described here is essentially that of [51, Section 2.2], where we choose  $\lambda_k$  in (12) as the exact minimizer over the interval  $[0, 1]$  and choose  $\eta^{(k)}$  at each iteration in the manner described above, except that  $\alpha^{(k)} = (\eta^{(k)})^{-1}$  is restricted to the interval  $[\alpha_{\min}, \alpha_{\max}]$ . In defining the value of  $\alpha^{(k+1)}$  in Step 3 below, we make use of the fact that for  $F$  defined in (8), we have

$$\nabla F(\mathbf{z}^{(k)}) - \nabla F(\mathbf{z}^{(k-1)}) = \mathbf{B} (\mathbf{z}^{(k)} - \mathbf{z}^{(k-1)}).$$

**Step 0 (initialization):** Given  $\mathbf{z}^{(0)}$ , choose parameters  $\alpha_{\min}, \alpha_{\max}, \alpha^{(0)} \in [\alpha_{\min}, \alpha_{\max}]$ , and set  $k = 0$ .

**Step 1:** Compute step:

$$\delta^{(k)} = (\mathbf{z}^{(k)} - \alpha^{(k)} \nabla F(\mathbf{z}^{(k)}))_+ - \mathbf{z}^{(k)}. \quad (14)$$

**Step 2 (line search):** Find the scalar  $\lambda^{(k)}$  that minimizes  $F(\mathbf{z}^{(k)} + \lambda^{(k)} \delta^{(k)})$  on the interval  $\lambda^{(k)} \in [0, 1]$ , and set  $\mathbf{z}^{(k+1)} = \mathbf{z}^{(k)} + \lambda^{(k)} \delta^{(k)}$ .

**Step 3 (update  $\alpha$ ):** compute

$$\gamma^{(k)} = (\delta^{(k)})^T \mathbf{B} \delta^{(k)}; \quad (15)$$

if  $\gamma^{(k)} = 0$ , let  $\alpha^{(k+1)} = \alpha_{\max}$ , otherwise

$$\alpha^{(k+1)} = \text{mid} \left\{ \alpha_{\min}, \frac{\|\delta^{(k)}\|_2^2}{\gamma^{(k)}}, \alpha_{\max} \right\}.$$

**Step 4:** Perform convergence test and terminate with approximate solution  $\mathbf{z}^{(k+1)}$  if it is satisfied; otherwise set  $k \leftarrow k + 1$  and return to

**Step 1.**

Since  $F$  is quadratic, the line search parameter  $\lambda^{(k)}$  in Step 2 can be calculated simply using the following closed-form expression:

$$\lambda^{(k)} = \text{mid} \left\{ 0, \frac{(\delta^{(k)})^T \nabla F(\mathbf{z}^{(k)})}{(\delta^{(k)})^T \mathbf{B} \delta^{(k)}}, 1 \right\}.$$

(When  $(\delta^{(k)})^T \mathbf{B} \delta^{(k)} = 0$ , we set  $\lambda^{(k)} = 1$ .) The use of this parameter  $\lambda^{(k)}$  removes one of the salient properties of the Barzilai-Borwein approach, namely, the possibility that  $F$  may increase on some iterations. Nevertheless, in our problems, it appeared to improve performance over the more standard non-monotone variant, which sets  $\lambda^{(k)} \equiv 1$ . We also tried other variants of the Barzilai-Borwein approach, including one proposed in [15], which alternates between two definitions of  $\alpha^{(k)}$ . The difference in performance were very small, so we focus our presentation on the method described above.

In earlier testing, we experimented with other variants of GP, including the GPCG approach of [42] and the proximal-point approach of [58]. The GPCG approach runs into difficulties because the projection of the Hessian  $\mathbf{B}$  onto most faces of the positive orthant defined by  $\mathbf{z} \geq 0$  is singular, so the inner CG loop in this algorithm tends to fail.

### C. Convergence

Convergence of the methods proposed above can be derived from the analysis of Bertsekas [3] and Iusem [33], but follows most directly from the results of Birgin, Martinez, and Raydan [4] and Serafini, Zanghirati, and Zanni [51]. We summarize convergence properties of the two algorithms described above, assuming that termination occurs only when  $\mathbf{z}^{(k+1)} = \mathbf{z}^{(k)}$  (which indicates that  $\mathbf{z}^{(k)}$  is optimal).

*Theorem 1:* The sequence of iterates  $\{\mathbf{z}^{(k)}\}$  generated by the either the GPSR-Basic or GPSR-BB algorithms either terminates at a solution of (8), or else converges to a solution of (8) at an R-linear rate.

*Proof:* Theorem 2.1 of [51] can be used to show that all accumulation points of  $\{\mathbf{z}^{(k)}\}$  are stationary points. (This result applies to an algorithm in which the  $\alpha^{(k)}$  are chosen by a different scheme, but the only relevant requirement on these parameters in the proof of [51, Theorem 2.1] is that they lie in the range  $[\alpha_{\min}, \alpha_{\max}]$ , as is the case here.) Since the objective in (8) is clearly bounded below (by zero), we can apply [51, Theorem 2.2] to deduce convergence to a solution of (8) at an R-linear rate. ■

### D. Termination

The decision about when an approximate solution is of sufficiently high quality to terminate the algorithms is a difficult one. We wish for the approximate solution  $\mathbf{z}$  to be reasonably close to a solution  $\mathbf{z}^*$  and/or that the function value  $F(\mathbf{z})$  be reasonably close to  $F(\mathbf{z}^*)$ , but at the same time we wish to avoid the excessive computation involved in finding an overly accurate solution. For the problem (7), given that variable selection is the main motivation

of the formulation (1) and that a debiasing step may be carried out in a postprocessing phase (see Subsection III-E), we wish the nonzero components of the approximate solution  $\mathbf{z}$  to be close to the nonzeros of a true solution  $\mathbf{z}^*$ .

These considerations motivate a number of possible termination criteria. A standard criterion that has been used previously for BCQP problems is

$$\|\mathbf{z} - (\mathbf{z} - \bar{\alpha} \nabla F(\mathbf{z}))_+\| \leq \text{tolP} \quad (16)$$

(where  $\text{tolP}$  is a small parameter and  $\bar{\alpha}$  is a positive constant). This criterion is motivated by the fact that the left-hand side is zero if and only if  $\mathbf{z}$  is optimal. A second, similar criterion is motivated by perturbation results for linear complementarity problems (LCP). There is a constant  $C_{\text{LCP}}$  such that

$$\text{dist}(\mathbf{z}, \mathcal{S}) \leq C_{\text{LCP}} \|\min(\mathbf{z}, \nabla F(\mathbf{z}))\|$$

where  $\mathcal{S}$  denotes the solution set of (8),  $\text{dist}(\cdot)$  is the distance operator, and the min on the right-hand side is taken component-wise [14]. With this bound in mind, we can define a convergence criterion as follows:

$$\|\min(\mathbf{z}, \nabla F(\mathbf{z}))\| \leq \text{tolP}. \quad (17)$$

A third criterion proposed recently in [35] is based on duality theory for the original formulation (1). It can be shown that the dual of (1) is

$$\begin{aligned} \max_{\mathbf{s}} \quad & -\frac{1}{2} \mathbf{s}^T \mathbf{s} - \mathbf{y}^T \mathbf{s} \\ \text{s.t.} \quad & -\tau \mathbf{1}_n \leq \mathbf{A}^T \mathbf{s} \leq \tau \mathbf{1}_n. \end{aligned} \quad (18)$$

If  $\mathbf{s}$  is feasible for (18), then

$$\frac{1}{2} \|\mathbf{y} - \mathbf{Ax}\|_2^2 + \tau \|\mathbf{x}\|_1 + \frac{1}{2} \mathbf{s}^T \mathbf{s} + \mathbf{y}^T \mathbf{s} \geq 0, \quad (19)$$

with equality attained if and only if  $\mathbf{x}$  is a solution of (1) and  $\mathbf{s}$  is a solution of (18). To define a termination criterion, we invert the transformation in (6) to obtain a candidate  $\mathbf{x}$ , and then construct a feasible  $\mathbf{s}$  as follows:

$$\mathbf{s} \equiv \tau \frac{\mathbf{Ax} - \mathbf{y}}{\|\mathbf{A}^T(\mathbf{Ax} - \mathbf{y})\|_\infty}$$

(see [35]). Substituting these values into the left-hand side of (19), we can declare termination when this quantity falls below a threshold  $\text{tolP}$ . Note that this quantity is an upper bound on the gap between  $F(\mathbf{z})$  and the optimal objective value  $F(\mathbf{z}^*)$ .

None of the criteria discussed so far take account of the nonzero indices of  $\mathbf{z}$  or of how these have changed in recent iterations. In our fourth criterion, termination is declared when the set of nonzero indices of an iterate  $\mathbf{z}^{(k)}$  changes by a relative amount of less than a specified threshold  $\text{tolA}$ . Specifically, we define

$$\begin{aligned} \mathcal{I}_k &= \{i \mid z_i^{(k)} \neq 0\}, \\ \mathcal{C}_k &= \{i \mid (i \in \mathcal{I}_k \text{ and } i \notin \mathcal{I}_{k-1}) \text{ or} \\ &\quad (i \notin \mathcal{I}_k \text{ and } i \in \mathcal{I}_{k-1})\}, \end{aligned}$$

and terminate if

$$|\mathcal{C}_k|/|\mathcal{I}_k| \leq \text{tolA}. \quad (20)$$

This criterion is well suited to the class of problems addressed in this paper (where we expect the cardinality of  $\mathcal{I}_k$ , in later stages of the algorithm, to be much less than the dimension of  $\mathbf{z}$ ), and to algorithms of the gradient projection type, which generate iterates on the boundary of the feasible set. However, it does not work for general BCQPs (*e.g.*, in which *all* the components of  $\mathbf{z}$  are nonzero at the solution) or for algorithms that generate iterates that remain in the interior of the feasible set.

It is difficult to choose a termination criterion from among these options that performs well on all data sets and in all contexts. In the tests described in Section IV, unless otherwise noted, we use (17), with  $\text{tolP} = 10^{-2}$ , which appeared to yield fairly consistent results. We may also impose some large upper limit  $\text{maxiter}$  on the number of iterations.

#### E. Debiasing

Once an approximate solution has been obtained using one of the algorithms above, we optionally perform a *debiasing* step. The computed solution  $\mathbf{z} = [\mathbf{u}^T, \mathbf{v}^T]^T$  is converted to an approximate solution  $\mathbf{x}_{GP} = \mathbf{u} - \mathbf{v}$ . The zero components of  $\mathbf{x}_{GP}$  are fixed at zero, and the least-squares objective  $\|\mathbf{y} - \mathbf{Ax}\|_2^2$  is then minimized subject to this restriction using a CG algorithm (see for example [43, Chapter 5]). In our code, the CG iteration is terminated when

$$\|\mathbf{y} - \mathbf{Ax}\|_2^2 \leq \text{tolD} \|\mathbf{y} - \mathbf{Ax}_{GP}\|_2^2, \quad (21)$$

where  $\text{tolD}$  is a small positive parameter. We also restrict the number of CG steps in the debiasing phase to  $\text{maxiterD}$ .

Essentially, the problem (1) is being used to select the “explanatory” variables (components of  $\mathbf{x}$ ), while the debiasing step chooses the optimal values for these components according to a least-squares criterion (without the regularization term  $\tau\|\mathbf{x}\|_1$ ). Similar techniques have been used in other  $\ell_1$ -based algorithms, *e.g.*, [41]. It is also worth pointing out that debiasing is not always desirable. Shrinking the selected coefficients can mitigate unusually large noise deviations [19], a desirable effect that may be undone by debiasing.

#### F. Efficiently Solving For a Sequence of Regularization Parameters $\tau$ : Warm Starting

The gradient projection approach benefits from a good starting point. We can use the non-debiased solution of (1) to initialize GPSR in solving another problem in which  $\tau$  is changed to a nearby value. The second solve will typically take fewer iterations than the first one; the number of iterations

depends on the closeness of the values of  $\tau$  and the closeness of the solutions. Using this warm-start technique, we can solve for a sequence of values of  $\tau$ , moving from one value to the next in the sequence in either increasing or decreasing order. It is generally best to solve in order of  $\tau$  increasing, as the number of nonzero components of  $\mathbf{x}$  in the solution of (1) typically decreases as  $\tau$  increases, so the additional steps needed in moving between two successive solutions usually take the form of moving some nonzero  $\mathbf{x}$  components to the boundary and adjusting the other nonzero values. We note that it is important to use the non-debiased solution as starting point; debiasing may move the iterates away from the true minimizer of (1) and is therefore generally of lower quality as a starting point for the next value of  $\tau$ .

Our motivation for solving for a range of  $\tau$  values is that it is often difficult to determine an appropriate value *a priori*. Theoretical analysis may suggest a certain value, but it is beneficial to explore a range of solutions surrounding this value and to examine the sparsity of the resulting solutions, possibly using some test based on the solution sparsity and the goodness of least-squares fit to choose the “best” solution from among these possibilities.

#### G. Analysis of Computational Cost

It is not possible to accurately predict the number of GPSR-Basic and GPSR-BB iterations required to find an approximate solution. As mentioned above, this number depends in part on the quality of the initial guess. We can however analyze the cost of each iteration of these algorithms. The main computational cost per iteration is a small number of inner products, vector-scalar multiplications, and vector additions, each requiring  $n$  or  $2n$  floating-point operations, plus a modest number of multiplications by  $\mathbf{A}$  and  $\mathbf{A}^T$ . When  $\mathbf{A} = \mathbf{RW}$ , these operations entail a small number of multiplications by  $\mathbf{R}$ ,  $\mathbf{R}^T$ ,  $\mathbf{W}$ , and  $\mathbf{W}^T$ . The cost of each CG iteration in the debiasing phase is similar but lower; just one multiplication by each of  $\mathbf{R}$ ,  $\mathbf{R}^T$ ,  $\mathbf{W}$ , and  $\mathbf{W}^T$  plus a number of vector operations.

We next analyze the cost of multiplications by  $\mathbf{R}$ ,  $\mathbf{R}^T$ ,  $\mathbf{W}$ , and  $\mathbf{W}^T$  for various typical problems; let us begin by recalling that  $\mathbf{A} = \mathbf{RW}$  is a  $k \times n$  matrix, and that  $\mathbf{x} \in \mathbb{R}^n$ ,  $\mathbf{y} \in \mathbb{R}^k$ . Thus, if  $\mathbf{R}$  has dimensions  $k \times d$ , then  $\mathbf{W}$  must be a  $d \times n$  matrix.

If  $\mathbf{W}$  contains an orthogonal wavelet basis ( $d = n$ ), matrix-vector products involving  $\mathbf{W}$  or  $\mathbf{W}^T$  can be implemented using fast wavelet transform algorithms with  $O(n)$  cost [39], instead of the  $O(n^2)$  cost of a direct matrix-vector product. Consequently, the cost of a product by  $\mathbf{A}$  or  $\mathbf{A}^T$  is  $O(n)$  plus that of multiplying by  $\mathbf{R}$  or  $\mathbf{R}^T$  which, with a direct implementation, is  $O(kn)$ . When using redundant




Fig. 1. From top to bottom: original signal, reconstruction via the minimization of (1) obtained by GPSR-BB, reconstruction after debiasing, the minimum norm estimate obtained using the `mldivide` function of MATLAB.

translation-invariant wavelet systems,  $\mathbf{W}$  is  $d \times d(\log_2(d) + 1)$ , but the corresponding matrix-vector products can be done with  $O(d \log d)$  cost, using fast undecimated wavelet transform algorithms [39]. Similar cost analyses apply when  $\mathbf{W}$  corresponds to other fast transform operators, such as the FFT.

As mentioned above, direct implementations of products by  $\mathbf{R}$  and  $\mathbf{R}^T$  have  $O(kd)$  cost. However, in some cases, these products can be carried out with significantly lower cost. For example, in image deconvolution problems [25],  $\mathbf{R}$  is a  $k \times k$  ( $d = k$ ) block-Toeplitz matrix with Toeplitz blocks (representing 2D convolutions) and these products can be performed in the discrete Fourier domain using the FFT, with  $O(k \log k)$  cost, instead of the  $O(k^2)$  cost of a direct implementation. If the blur kernel support is very small (say  $l$  pixels) these products can be done with even lower cost,  $O(kl)$ , by implementing the corresponding convolution. Also, in certain applications of compressed sensing, such as MR image reconstruction [37],  $\mathbf{R}$  is formed from a subset of the discrete Fourier transform basis, so the cost is  $O(k \log k)$  using the FFT.

#### IV. EXPERIMENTS

This section describes some experiments testifying to the very good performance of the proposed algorithms in several types of problems of the form (1). These experiments include comparisons with state-of-the-art approaches, namely IST [16], [25], and the recent *l1\_ls* package, which was shown in [35] to outperform all previous methods, including

the  $\ell_1$ -magic toolbox and the homotopy method from [21]. The algorithms discussed in Section III are written in MATLAB and are freely available for download from [www.1x.it.pt/~mtf/GPSR/](http://www.1x.it.pt/~mtf/GPSR/).

For the GPSR-BB algorithm, we set  $\alpha_{\min} = 10^{-30}$ ,  $\alpha_{\max} = 10^{30}$ ; the performance is insensitive to these choices, similar results are obtained for other small settings of  $\alpha_{\min}$  and large values of  $\alpha_{\max}$ . We discuss results also for a nonmonotone version of the GPSR-BB algorithm, in which  $\lambda_k \equiv 1$ . In GPSR-Basic, we used  $\beta = 0.5$  and  $\mu = 0.1$ .

#### A. Compressed Sensing

In our first experiment we consider a typical compressed sensing (CS) scenario (similar to the one in [35]), where the goal is to reconstruct a length- $n$  sparse signal (in the canonical basis) from  $k$  observations, where  $k < n$ . In this case, the  $k \times n$  matrix  $\mathbf{A}$  is obtained by first filling it with independent samples of a standard Gaussian distribution and then orthonormalizing the rows. In this example,  $n = 4096$ ,  $k = 1024$ , the original signal  $\mathbf{x}$  contains 160 randomly placed  $\pm 1$  spikes, and the observation  $\mathbf{y}$  is generated according to (2), with  $\sigma^2 = 10^{-4}$ . Parameter  $\tau$  is chosen as suggested in [35]:

$$\tau = 0.1 \|\mathbf{A}^T \mathbf{y}\|_\infty; \quad (22)$$

this value can be understood by noticing that for  $\tau \geq \|\mathbf{A}^T \mathbf{y}\|_\infty$  the unique minimum of (1) is the zero vector [29], [35].

The original signal and the estimate obtained by solving (1) using the monotone version of the

GPSR-BB (which is essentially the same as that produced by the nonmonotone GPSR-BB and GPSR-Basic) are shown in Fig. 1. Also shown in Fig. 1 is the reconstruction obtained after the debiasing procedure described in Section III-E; although GPSR-BB does an excellent job at locating the spikes, the debiased reconstruction exhibits a much lower mean squared error<sup>3</sup> (MSE) with respect to the original signal. Finally, Fig. 1 also depicts the solution of minimal  $\ell_2$ -norm to the undetermined system  $\mathbf{y} = \mathbf{Ax}$ , obtained with the `mldivide` function of MATLAB.




Fig. 2. The objective function plotted against iteration number and CPU time, for GPSR-Basic and the monotone and nonmonotone versions of the GPSR-BB, corresponding to the experiment illustrated in Fig. 1.

In Fig. 2, we plot the evolution of the objective function (without debiasing) versus iteration number and CPU time, for GPSR-Basic and both versions of GPSR-BB. The GPSR-BB variants are slightly faster, but the performance of all three codes is quite similar on this problem. Fig. 3 shows how the objective function (1) and the MSE evolve in the debiasing phase. Notice that the objective function (1) increases during the debiasing phase, since we are minimizing a different function in this phase.

<sup>3</sup> $MSE = (1/n)\|\hat{\mathbf{x}} - \mathbf{x}\|_2^2$ , where  $\hat{\mathbf{x}}$  is an estimate of  $\mathbf{x}$ .




Fig. 3. Evolution of the objective function and reconstruction MSE, vs CPU time, including the debiasing phase, corresponding to the experiment illustrated in Fig. 1.

TABLE I  
CPU TIMES (AVERAGE OVER 10 RUNS) OF SEVERAL ALGORITHMS ON THE EXPERIMENT OF FIG. 1.

Algorithm	CPU time (seconds)
GPSR-BB monotone	0.59
GPSR-BB nonmonotone	0.51
GPSR-Basic	0.69
GPSR-BB monotone + debias	0.89
GPSR-BB nonmonotone + debias	0.82
GPSR-Basic + debias	0.98
$l_1$ _ls	6.56
IST	2.76

Table I reports average CPU times (over 10 experiments) required by the three GPSR algorithms as well as by  $l_1$ \_ls and IST. To perform this comparison, we first run the  $l_1$ \_ls algorithm and then each of the other algorithms until each reaches the same value of the objective function reached by  $l_1$ \_ls. The results in this table show that, for this problem, all GPSR variants are about one order of magnitude faster than  $l_1$ \_ls and 5 times faster than IST.

An indirect performance comparison with other codes on this problem can be made by referring to [35, Table 1], which shows that  $l_1$ \_ls outperforms the homotopy method from [21] (6.9 second vs 11.3 seconds). It also outperforms  $\ell_1$ -magic by about two orders of magnitude and the `pdco` algorithms from *SparseLab* by about one order of magnitude.




Fig. 4. Evolution of the objective function and reconstruction MSE, vs CPU time, including the debiasing phase, corresponding to the experiment illustrated in Fig. 1.

### B. Comparison with OMP

Next, we compare the computational efficiency of GPSR algorithms against OMP, often regarded as a highly efficient method that is especially well-suited to very sparse cases. We use two efficient MATLAB implementations of OMP: the `greed_omp_qr` function of the *Sparsify*<sup>4</sup> toolbox (based on QR factorization [5], [17]), and the function `SolveOMP` included in the *SparseLab* toolbox (based on the Cholesky factorization). Because `greed_omp_qr` requires each column of the matrix  $\mathbf{R}$  to have unit norm, we use matrices with this property in all our comparisons.

Since OMP is not an optimization algorithm for minimizing (1) (or any other objective function), it is not obvious how to compare it with GPSR. In our experiments, we fix matrix size ( $1024 \times 4096$ ) and consider a range of degrees of sparseness: the number  $m$  of non-zeros spikes in  $\mathbf{x}$  (randomly located values of  $\pm 1$ ) ranges from 5 to 250. For each value of  $m$  we generate 10 random data sets, *i.e.*, triplets  $(\mathbf{x}, \mathbf{y}, \mathbf{R})$ . For each data set, we first run GPSR-BB (the monotone version) and store the final value of the residual; we then run `greed_omp_qr`

and `SolveOMP` until they reach the same value of residual. Finally, we compute average MSE (with respect to the true  $\mathbf{x}$ ) and average CPU time, over the 10 runs.

Fig. 4 plots the reconstruction MSE and the CPU time required by GPSR-BB and OMP, as a function of the number of nonzero components in  $\mathbf{x}$ . We observe that all methods basically obtain exact reconstructions for  $m$  up to almost 200, with the OMP solutions (which are equal up to some numerical fluctuations) starting to degrade earlier and faster than those produced by solving (1). Concerning computational efficiency, which is our main focus in this experiment, we can observed that GPSR-BB is clearly faster than both OMP implementations, except in the case of extreme sparseness ( $m < 50$  non-zero elements in the 4096-vector  $\mathbf{x}$ ).

### C. Scalability Assessment

To assess how the computational cost of the GPSR algorithms grows with the size of matrix  $\mathbf{A}$ , we have performed an experiment similar to the one in [35, Section 5.3]. The idea is to assume that the computational cost is  $O(n^\alpha)$  and obtain empirical estimates of the exponent  $\alpha$ . We consider random sparse matrices (with the nonzero entries normally distributed) of dimensions  $(0.1n) \times n$ , with  $n$  ranging from  $10^4$  to  $10^6$ . Each matrix is generated with about  $3n$  nonzero elements and the original signal with  $n/4$  randomly placed nonzero components. For each value of  $n$ , we generate 10 random matrices and original signals and observed data according to (2), with noise variance  $\sigma^2 = 10^{-4}$ . For each data set (*i.e.*, each pair  $\mathbf{A}, \mathbf{y}$ ),  $\tau$  is chosen as in (22). The results in Fig. 5 (which are average for 10 data sets of each size) show that all GPSR algorithms have empirical exponents below 0.9, thus much better than  $l1\_ls$  (for which we found  $\alpha = 1.21$ , in agreement with the value 1.2 reported in [35]); IST has an exponent very close to that of GPSR algorithms, but a worse constant, thus its computational complexity is approximately a constant factor above GPSR. Finally, notice that, according to [35],  $\ell_1$ -magic has an exponent close to 1.3, while all the other methods considered in that paper have exponents no less than 2.

### D. Warm Starting

As mentioned in Section III-F, GPSR algorithms can benefit from being warm-started, *i.e.*, initialized at a point close to the solution. This property can be exploited to find minima (1) for a sequence of values of  $\tau$ , at a modest multiple of the cost of solving only for one value of  $\tau$ . We illustrate this possibility in a problem with  $k = 1024$ ,  $n = 8192$ , which we wish to solve for 9 different values of  $\tau$ ,

$$\tau \in \{0.05, 0.075, 0.1, \dots, 0.275\} \|\mathbf{A}^T \mathbf{y}\|_\infty.$$

<sup>4</sup>Available at [www.see.ed.ac.uk/~tblumens/sparsify/sparsify.html](http://www.see.ed.ac.uk/~tblumens/sparsify/sparsify.html)




Fig. 5. Assessment of the empirical growth exponent of the computational complexity of several algorithms.

The results reported in Fig. 6 show that warm starting does indeed significantly reduce the CPU time required by GPSR. The total CPU time of the 9 runs was about 6.5 seconds, thus less than twice that of the first run (which can not be warm started) which is about 3.7 CPU seconds. The total time required using a cold-start for each value of  $\tau$  was about 17.5 seconds. Notice that the CPU times for the cold-started algorithms decreases as  $\tau$  increases, since larger values of  $\tau$  lead to sparser solutions.




Fig. 6. CPU times for a sequence of values of  $\tau$  with warm starting and without warm starting (cold starting).

### E. Image Deconvolution Experiments

In this subsection, we illustrate the use of the GPSR-BB algorithm in image deconvolution. Recall that (see Section I-A) wavelet-based image deconvolution, under a Laplacian prior on the wavelet coefficients, can be formulated as (1). We stress that the goal of these experiments is not to assess the performance (*e.g.*, in terms of SNR improvement) of the criterion form (1). Such an assessment has been comprehensively carried out in [25], [26], and

several other recent works on this topic. Rather, our goal is to compare the speed of the proposed GPSR algorithms against the competing IST.

We consider three standard benchmark problems summarized in Table II, all based on the well-known Cameraman image; these problems have been studied in [25], [26] (and other papers). In this experiments,  $\mathbf{W}$  represents the inverse orthogonal wavelet transform, with Haar wavelets, and  $\mathbf{R}$  is a matrix representation of the blur operation; we have  $k = n = 256^2$ , and the difficulty comes not from the indeterminacy of the associated system, but from the very ill-conditioned nature of matrix  $\mathbf{RW}$ . Parameter  $\tau$  is hand-tuned for the best SNR improvement. In each case, we first run IST and then run the GPSR algorithms until they reach the same final value of the objective function; the final values of MSE are essentially the same. Table III lists the CPU times required by GPSR-BB algorithms and IST, in each of these experiments, showing that GPSR-BB is two to three times faster than IST.

TABLE II  
IMAGE DECONVOLUTION EXPERIMENTS.

Experiment	blur kernel	$\sigma^2$
1	$9 \times 9$ uniform	$0.56^2$
2	$h_{ij} = 1/(i^2 + j^2)$	2
3	$h_{ij} = 1/(i^2 + j^2)$	8

TABLE III  
CPU TIMES (IN SECONDS) FOR THE IMAGE DECONVOLUTION EXPERIMENTS.

Experiment	GPSR-BB monotone	GPSR-BB nonmonotone	IST
1	1.69	1.04	3.82
2	1.11	0.84	2.63
3	1.21	1.01	2.38

## V. CONCLUSIONS

In this paper we have proposed gradient projection algorithms to address the quadratic programming formulation of a class of convex non-smooth unconstrained optimization problems arising in compressed sensing and other inverse problems in signal processing and statistics. In experimental comparisons to state-of-the-art algorithm, the proposed methods appear to be significantly faster (in some cases by orders of magnitude), especially in large-scale settings. Furthermore, the new algorithms are very easy to implement, work well across a large range of applications, and do not require application-specific tuning. Our experiments also evidenced the importance of a so-called *debiasing* phase, in which we use a linear CG method to minimize the least squares cost of the inverse problem, under the constraint that the zero components of the sparse estimate produced

by the GP algorithm remain at zero. Finally, we mention that the MATLAB implementations of the algorithms herein proposed are publicly available at [www.lx.it.pt/~mtf/GPSR](http://www.lx.it.pt/~mtf/GPSR).

## REFERENCES

- [1] S. Alliney and S. Ruzinsky. "An algorithm for the minimization of mixed  $\ell_1$  and  $\ell_2$  norms with application to Bayesian estimation," *IEEE Transactions on Signal Processing*, vol. 42, pp. 618–627, 1994.
- [2] J. Barzilai and J. Borwein. "Two point step size gradient methods," *IMA Journal of Numerical Analysis*, vol. 8, pp. 141–148, 1988.
- [3] D. P. Bertsekas. *Nonlinear Programming*, 2nd ed., Athena Scientific, Boston, 1999.
- [4] E. G. Birgin, J. M. Martinez, and M. Raydan. "Nonmonotone spectral projected gradient methods on convex sets," *SIAM Journal on Optimization*, vol. 10, pp. 1196–1211, 2000.
- [5] T. Blumensath and M. Davies. "Gradient pursuits", submitted, 2007. Available at [www.sccs.ed.ac.uk/~tblumens/papers](http://www.sccs.ed.ac.uk/~tblumens/papers)
- [6] E. Candès, J. Romberg and T. Tao. "Stable signal recovery from incomplete and inaccurate information," *Communications on Pure and Applied Mathematics*, vol. 59, pp. 1207–1233, 2005.
- [7] E. Candès and T. Tao, "Near optimal signal recovery from random projections: universal encoding strategies," *IEEE Transactions on Information Theory*, vol. 52, pp. 5406–5425, 2004.
- [8] E. Candès and T. Tao, "The Dantzig selector: statistical estimation when p is much larger than n," *Annals of Statistics*, 2007, to appear. Available at [arxiv.org/abs/math.ST/0506081](http://arxiv.org/abs/math.ST/0506081)
- [9] E. Candès, J. Romberg, and T. Tao. "Robust uncertainty principles: Exact signal reconstruction from highly incomplete frequency information," *IEEE Transactions on Information Theory*, vol. 52, pp. 489–509, 2006.
- [10] A. Chambolle, "An algorithm for total variation minimization and applications," *Journal of Mathematical Imaging and Vision*, vol. 20, pp. 89–97, 2004.
- [11] S. Chen, D. Donoho, and M. Saunders. "Atomic decomposition by basis pursuit," *SIAM Journal of Scientific Computation*, vol. 20, pp. 33–61, 1998.
- [12] J. Claerbout and F. Muir. "Robust modelling of erratic data," *Geophysics*, vol. 38, pp. 826–844, 1973.
- [13] P. Combettes and V. Wajs, "Signal recovery by proximal forward-backward splitting," *SIAM Journal on Multiscale Modeling & Simulation*, vol. 4, pp. 1168–1200, 2005.
- [14] R. W. Cottle, J.-S. Pang, and R. E. Stone. *The Linear Complementarity Problem*, Academic Press, 1993.
- [15] Y.-H. Dai and R. Fletcher. "Projected Barzilai-Borwein methods for large-scale box-constrained quadratic programming," *Numerische Mathematik*, vol. 100, pp. 21–47, 2005.
- [16] I. Daubechies, M. De Friese, and C. De Mol. "An iterative thresholding algorithm for linear inverse problems with a sparsity constraint," *Communications in Pure and Applied Mathematics*, vol. 57, pp. 1413–1457, 2004.
- [17] G. Davis, S. Mallat, M. Avellaneda, "Greedy adaptive approximation," *Journal of Constructive Approximation*, vol. 12, pp. 57–98, 1997.
- [18] D. Donoho. "Compressed sensing," *IEEE Transactions on Information Theory*, vol. 52, pp. 1289–1306, 2006.
- [19] D. Donoho. "De-noising by soft-thresholding," *IEEE Transactions on Information Theory*, vol. 41, pp. 613–627, 1995.
- [20] D. Donoho, M. Elad, and V. Temlyakov. "Stable recovery of sparse overcomplete representations in the presence of noise," *IEEE Transactions on Information Theory*, vol. 52, pp. 6–18, 2006.
- [21] D. Donoho and Y. Tsaig. "Fast solution of L1-norm minimization problems when the solution may be sparse," Technical Report, Institute for Computational and Mathematical Engineering, Stanford University, 2006. Available at [www.stanford.edu/~tsaig](http://www.stanford.edu/~tsaig)
- [22] B. Efron, T. Hastie, I. Johnstone, and R. Tibshirani. "Least Angle Regression," *Annals of Statistics*, vol. 32, pp. 407–499, 2004.
- [23] M. Elad, "Why simple shrinkage is still relevant for redundant representations?", *IEEE Transactions on Information Theory*, vol. 52, pp. 5559–5569, 2006.
- [24] M. Elad, B. Matalon, and M. Zibulevsky, "Image denoising with shrinkage and redundant representations", *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition – CVPR'2006*, New York, 2006.
- [25] M. Figueiredo and R. Nowak. "An EM algorithm for wavelet-based image restoration," *IEEE Transactions on Image Processing*, vol. 12, pp. 906–916, 2003.
- [26] M. Figueiredo and R. Nowak. "A bound optimization approach to wavelet-based image deconvolution," *IEEE International Conference on Image Processing – ICIP'2005*, 2005.
- [27] M. Frank and P. Wolfe. "An algorithm for quadratic programming," *Naval Research Logistics Quarterly*, vol. 3, pp. 95–110, 1956.
- [28] J. J. Fuchs. "Multipath time-delay detection and estimation," *IEEE Transactions on Signal Processing*, vol. 47, pp. 237–243, 1999.
- [29] J. J. Fuchs. "More on sparse representations in arbitrary bases," *IEEE Transactions on Information Theory*, vol. 50, pp. 1341–1344, 2004.
- [30] J. Gondzio and A. Grothey. "A New unblocking technique to warmstart interior point methods based on sensitivity analysis," Technical Report MS-06-005, School of Mathematics, The University of Edinburgh, Edinburgh, UK, 2006.
- [31] J. Haupt and R. Nowak. "Signal reconstruction from noisy random projections," *IEEE Transactions on Information Theory*, vol. 52, pp. 4036–4048, 2006.
- [32] D. Hunter and K. Lange. "A Tutorial on MM Algorithms," *The American Statistician*, vol. 58, pp. 30–37, 2004.
- [33] A. N. Iusem. "On the convergence properties of the projected gradient method for convex optimization," *Computational and Applied Mathematics*, vol. 22, pp. 37–52, 2003.
- [34] E. John and E. A. Yıldırım. "Implementation of warm-start strategies in interior-point methods for linear programming in fixed dimension," Technical Report, Department of Industrial Engineering, Bilkent University, Ankara, Turkey, 2006.
- [35] S. Kim, K. Koh, M. Lustig, S. Boyd, and D. Gorinevsky. "A method for large-scale  $\ell_1$ -regularized least squares problems with applications in signal processing and statistics," Tech. Report, Dept. of Electrical Engineering, Stanford University, 2007. Available at [www.stanford.edu/~boyd/l1\\_ls.html](http://www.stanford.edu/~boyd/l1_ls.html)
- [36] S. Levy and P. Fullagar. "Reconstruction of a sparse spike train from a portion of its spectrum and application to high-resolution deconvolution," *Geophysics*, vol. 46, pp. 1235–1243, 1981.
- [37] M. Lustig, D. Donoho, and J. Pauly. "Sparse MRI: The application of compressed sensing for rapid MR imaging", submitted, 2007. Available at [www.stanford.edu/~mlustig/SparseMRI.pdf](http://www.stanford.edu/~mlustig/SparseMRI.pdf)
- [38] D. Malioutov, M. Cetin, and A. Willsky. "Homotopy continuation for sparse signal representation," *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, vol. 5, pp. 733–736, Philadelphia, PA, 2005.
- [39] S. Mallat. *A Wavelet Tour of Signal Processing*. Academic Press, San Diego, CA, 1998.
- [40] A. Miller. *Subset Selection in Regression*. Chapman and Hall, London, 2002.
- [41] B. Moghaddam, Y. Weiss, and S. Avidan. "Spectral bounds for sparse PCA: exact and greedy algorithms," *Advances in Neural Information Processing Systems 18*, MIT Press, pp. 915–922, 2006.
- [42] J. Moré and G. Toraldo. "On the solution of large quadratic programming problems with bound constraints," *SIAM Journal on Optimization*, vol. 1, pp. 93–113, 1991.
- [43] J. Nocedal and S. J. Wright. *Numerical Optimization*, 2nd ed., Springer Verlag, New York, 2006.

- [44] R. Nowak and M. Figueiredo. "Fast wavelet-based image deconvolution using the EM algorithm", *Proceedings of the 35th Asilomar Conference on Signals, Systems, and Computers*, Monterey, CA, 2001.
- [45] M. Osborne, B. Presnell, B. Turlach. "A new approach to variable selection in least squares problems," *IMA Journal of Numerical Analysis*, vol. 20, pp. 389-403, 2000.
- [46] S. Osher, L. Rudin, and E. Fatemi, "Nonlinear total variation based noise removal algorithms," *Physica D.*, vol. 60, pp. 259–268, 1992.
- [47] C. Paige and M. A. Saunders, "LSQR: An algorithm for sparse linear equations and sparse least squares," *ACM Transactions on Mathematical Software*, vol. 8, pp. 43–71, 1982.
- [48] R. T. Rockafellar, *Convex Analysis*, Princeton University Press, Princeton, NJ, 1970.
- [49] F. Santosa and W. Symes. "Linear inversion of band-limited reflection histograms," *SIAM Journal of Scientific and Statistical Computing*, vol. 7, pp. 1307–1330, 1986.
- [50] M. A. Saunders. "PDCO: Primal-dual interior-point method for convex objectives," Systems Optimization Laboratory, Stanford University, 2002. Available at [www.stanford.edu/group/SOL/](http://www.stanford.edu/group/SOL/)
- [51] T. Serafini, G. Zanghirati, L. Zanni. "Gradient projection methods for large quadratic programs and applications in training support vector machines," *Optimization Methods and Software*, vol. 20, no. 2–3, pp. 353–378, 2004.
- [52] H. Taylor, S. Bank, J. McCoy. "Deconvolution with the  $\ell_1$  norm," *Geophysics*, vol. 44, pp. 39–52, 1979.
- [53] R. Tibshirani. "Regression shrinkage and selection via the lasso," *Journal Royal Statistical Society B*, vol. 58, pp. 267–288, 1996.
- [54] J. Tropp, "Just relax: Convex programming methods for identifying sparse signals," *IEEE Transactions on Information Theory*, vol. 51, pp. 1030–1051, 2006.
- [55] J. Tropp, "Greed is good: Algorithmic results for sparse approximation," *IEEE Transactions on Information Theory*, vol. 50, pp. 2231–2242, 2004.
- [56] B. Turlach. "On algorithms for solving least squares problems under an  $L_1$  penalty or an  $L_1$  constraint," *Proceedings of the American Statistical Association: Statistical Computing Section*, pp. 2572–2577, Alexandria, VA, 2005.
- [57] B. Turlach, W. N. Venables, and S. J. Wright. "Simultaneous variable selection," *Technometrics*, vol. 27, pp. 349–363, 2005.
- [58] S. J. Wright. "Implementing proximal point methods for linear programming," *Journal of Optimization Theory and Applications*, vol. 65, pp. 531–554, 1990.
- [59] S. J. Wright. *Primal-Dual Interior-Point Methods*, SIAM Publications, 1997.
- [60] E. A. Yıldırım and S. J. Wright, "Warm-start strategies in interior-point methods for linear programming," *SIAM Journal on Optimization*, vol. 12, pp. 782–810, 2002.